

Acciaio / Steel

Archi e fili in acciaio / Stainless Steel archwires and wires

Gli archi e i fili in acciaio sono realizzati esclusivamente con acciaio di grado 304v ad uso medicale. Grazie all'utilizzo di macchinari di ultimissima generazione, gli archi e i fili in acciaio assicurano precisione e costanza nei risultati.

Stainless Steel archwires and wires are only made with 304v grade stainless steel for medical use. Thanks to last generation equipment, Stainless Steel archwires and wires ensure precise and constant results.



Stainless Steel archwires


Damon compatible*

	TRUEARCH I		EUROARCH I		EUROARCH II		STANDARD	
	UPPER	LOWER	UPPER	LOWER	UPPER	LOWER	UPPER	LOWER
.012	SSTFU012	SSTFL012	SSEFU012	SSEFL012	SSEFU112	SSEFL112	SSSFU012	SSSFL012
.014	SSTFU014	SSTFL014	SSEFU014	SSEFL014	SSEFU114	SSEFL114	SSSFU014	SSSFL014
.016	SSTFU016	SSTFL016	SSEFU016	SSEFL016	SSEFU116	SSEFL116	SSSFU016	SSSFL016
.018	SSTFU018	SSTFL018	SSEFU018	SSEFL018	SSEFU118	SSEFL118	SSSFU018	SSSFL018
.020	SSTFU020	SSTFL020	SSEFU020	SSEFL020	SSEFU120	SSEFL120	SSSFU020	SSSFL020
.016x.016	SSTFU1616	SSTFL1616	SSEFU1616	SSEFL1616	SSEFU3616	SSEFL3616	SSSFU1616	SSSFL1616
.016x.022	SSTFU1622	SSTFL1622	SSEFU1622	SSEFL1622	SSEFU3622	SSEFL3622	SSSFU1622	SSSFL1622
.016x.025	-	-	-	-	SSEFU3625	SSEFL3625	-	-
.017x.017	SSTFU1717	SSTFL1717	SSEFU1717	SSEFL1717	SSEFU3717	SSEFL3717	SSSFU1717	SSSFL1717
.017x.022	SSTFU1722	SSTFL1722	SSEFU1722	SSEFL1722	SSEFU3722	SSEFL3722	SSSFU1722	SSSFL1722
.017x.025	SSTFU1725	SSTFL1725	SSEFU1725	SSEFL1725	SSEFU3725	SSEFL3725	SSSFU1725	SSSFL1725
.018x.018	SSTFU1818	SSTFL1818	SSEFU1818	SSEFL1818	SSEFU3818	SSEFL3818	SSSFU1818	SSSFL1818
.018x.022	SSTFU1822	SSTFL1822	SSEFU1822	SSEFL1822	SSEFU3822	SSEFL3822	SSSFU1822	SSSFL1822
.018x.025	SSTFU1825	SSTFL1825	SSEFU1825	SSEFL1825	SSEFU3825	SSEFL3825	SSSFU1825	SSSFL1825
.019x.019	SSTFU1919	SSTFL1919	SSEFU1919	SSEFL1919	SSEFU3919	SSEFL3919	SSSFU1919	SSSFL1919
.019x.025	SSTFU1925	SSTFL1925	SSEFU1925	SSEFL1925	SSEFU3925	SSEFL3925	SSSFU1925	SSSFL1925
.020x.020	SSTFU2020	SSTFL2020	SSEFU2020	SSEFL2020	SSEFU3020	SSEFL3020	SSSFU2020	SSSFL2020
.021x.025	SSTFU2125	SSTFL2125	SSEFU2125	SSEFL2125	SSEFU3125	SSEFL3125	SSSFU2125	SSSFL2125

25 pcs / pack

14" Filo Dritto / Straight wires

ROUND		RECTANGULAR	
.012	STSS012	.016x.016	STSS1616
.014	STSS014	.016x.022	STSS1622
.016	STSS016	.017x.017	STSS1717
.018	STSS018	.017x.025	STSS1725
.020	STSS020	.018x.018	STSS1818
.022	STSS022	.018x.022	STSS1822
.024	STSS024	.018x.025	STSS1825
.026	STSS026	.019x.019	STSS1919
.028	STSS028	.019x.025	STSS1925
.030	STSS030	.020x.020	STSS2020
.032	STSS032	.021x.025	STSS2125
.036	STSS036	25 pcs / pack	
.040	STSS040		
.045	STSS045		
.051	STSS051		
25 pcs / pack			



* Damon è un marchio registrato della Ormco Corporation / Damon is a trademark by Ormco Corporation

** MBT è un marchio registrato della 3M Unitek / MBT is a trademark of 3M Unitek

■ Merce disponibile / Goods available
 ■ Merce a richiesta / Goods on request


Archi in Acciaio / Stainless Steel archwires

Stainless Steel archwires

TRUEARCH I		
	UPPER	LOWER
.012	ASS012	AIS012
.014	ASS014	AIS014
.016	ASS016	AIS016
.018	ASS018	AIS018
.020	ASS020	AIS020
.016x.016	ASS1616	AIS1616
.016x.022	ASS1622	AIS1622
.017x.025	ASS1725	AIS1725
.018x.025	ASS1825	AIS1825
.019x.025	ASS1925	AIS1925
.021x.025	ASS2125	AIS2125
10 pcs / pack		



A



A.J. Wilcock® filo australiano / A.J. Wilcock® Australian wire

Il filo australiano A.J. Wilcock® è da sempre uno dei più conosciuti sul mercato ortodontico, grazie alla sua composizione in acciaio di altissima qualità ed alla straordinaria resilienza mostrata. Regular e Regular Plus sono facilmente modellabili ed eccellenti per usi generici. Special, Special Plus e Premium sono indicati per l'apertura del morso. Premium Plus e Supreme sono ideali per ausiliari. Confezionati in spolette da 7.65 mt.

A.J. Wilcock® Australian wire is one of the most known orthodontic wires, thanks to the use of excellent stainless steel and extraordinary resilience. Regular and Regular Plus can be easily modelled and used for general treatments. Special Plus and Premium are indicated for bite opening, while Premium Plus and Supreme for auxiliary appliances. Packed in 7.65 mt. spools.



	REGULAR	REGULAR+	SPECIAL	SPECIAL+	PREMIUM	PREMIUM+	SUPREME
	Pink	Green	Blue	Yellow	Purple	Gold	Beige
.009	-	-	-	-	-	-	AW227-060
.010	-	-	-	-	-	AW228-050	AW228-060
.011	-	-	-	-	-	AW228-150	AW228-160
.012	AW229-000	AW229-010	AW229-020	AW229-030	AW229-040	AW229-050	-
.014	AW230-100	AW230-110	AW230-120	AW230-130	AW230-140	AW230-150	-
.016	AW231-300	AW231-310	AW231-320	AW231-330	AW231-340	AW231-350	-
.018	AW232-400	AW232-410	AW232-420	AW232-430	AW232-440	AW232-450	-
.020	AW233-500	AW233-510	AW233-520	AW233-530	AW233-540	-	-
.022	AW234-600	-	-	AW234-630	-	-	-
.024	AW235-700	-	AW235-720	AW235-730	-	-	-
Spool							

■ Merce disponibile / Goods available

■ Merce a richiesta / Goods on request

Archi e fili in acciaio intrecciati / Multi-strand stainless steel archwires

I fili intrecciati in acciaio offrono una maggiore flessibilità e resistenza alla rottura rispetto al filo singolo, grazie ad una accurata finitura saldamente avvolta, garantisce anche un ottimo scorrimento, garantendo una forza elastica nel tempo. Evita gli effetti traumatici per il paziente nelle prime fasi del trattamento. Non si staccano nei punti di taglio.

Multi-strand stainless steel archwires give higher flexibility and resistance to breakage than the single wire, thanks to an external texture firmly wrapped that allows an excellent sliding. Multi-strand wires keep elastic force without traumatic effects in early treatments. Moreover, they don't detach in the cutting points.



Tre strati / Three Strands

	TRUEARCH I		STANDARD	
	UPPER	LOWER	UPPER	LOWER
.0155	-	-	-	-
.0175	-	-	-	-
.0195	-	-	-	-
.0215	-	-	-	-
.016x.016	CTFU1616	CTFL1616	CSFU1616	CSFL1616
.016x.022	CTFU1622	CTFL1622	CSFU1622	CSFL1622
.017x.025	CTFU1725	CTFL1725	CSFU1725	CSFL1725
.018x.025	CTFU1825	CTFL1825	CSFU1825	CSFL1825
.019x.025	CTFU1925	CTFL1925	CSFU1925	CSFL1925
25 pcs / pack				

DRITTO / STRAIGHT 14"
MS3155
MS3175
MS3195
MS3215
MS3616
MS3622
MS3725
MS3825
MS3925
25 pcs / pack

SPOLETTA / SPOOL 30"
SST3155
SST3175
SST3195
SST3215
-
-
-
-
-
Spools

Sei strati / Six Strands

	DRITTO / STRAIGHT 14"
.0155	MS6155
.0175	MS6175
.0195	MS6195
.0215	MS6215
25 pcs / pack	

SPOLETTA / SPOOL 30"
SST6155
SST6175
SST6195
SST6215
Spools



Three Strands

Sette strati / Seven Strands

	DRITTO / STRAIGHT 14"
.0155	MS7155
.0175	MS7175
.0195	MS7195
.0215	MS7215
25 pcs / pack	

SPOLETTA / SPOOL 30"
SST7155
SST7175
SST7195
SST7215
Spools



Six Strands

Otto strati / Eight Strands

	TRUEARCH I		STANDARD	
	UPPER	LOWER	UPPER	LOWER
.016x.016	CTFU8616	CTFL8616	CSFU8616	CSFL8616
.016x.022	CTFU8622	CTFL8622	CSFU8622	CSFL8622
.017x.025	CTFU8725	CTFL8725	CSFU8725	CSFL8725
.018x.025	CTFU8825	CTFL8825	CSFU8825	CSFL8825
.019x.025	CTFU8925	CTFL8925	CSFU8925	CSFL8925
.021x.025	CTFU8125	CTFL8125	CSFU8125	CSFL8125
25 pcs / pack				



Eight Strands

Orthology archi e fili blu / Blue Orthology wires and archwires

La lega Orthology, a base di cromo cobalto come l'Elgiloy®, ha eccezionali caratteristiche di malleabilità e resilienza.

Disponibile in archi preformati o in fili dritti. È consigliato per la tecnica Ricketts.

Chromium-cobalt base Orthology, like Elgiloy®, is a very resilient and malleable alloy. Available in preformed archwires or straight wires; it is recommended for the Ricketts technique.

A


Archwires

	TRUEARCH I	
	UPPER	LOWER
.014	CBTFU014	CBTFL014
.016	CBTFU016	CBTFL016
.018	CBTFU018	CBTFL018
.016x.016	CBTFU1616	CBTFL1616
.016x.022	CBTFU1622	CBTFL1622
.017x.022	CBTFU1722	CBTFL1722
.017x.025	CBTFU1725	CBTFL1725
.018x.025	CBTFU1825	CBTFL1825
.019x.025	CBTFU1925	CBTFL1925
.021x.025	CBTFU2125	CBTFL2125

25 pcs / pack

DRITTO / STRAIGHT 14"	
.014	STRCB014
.016	STRCB016
.018	STRCB018
.028	STRCB028
.030	STRCB030
.032	STRCB032
.036	STRCB036
.040	STRCB040
.045	STRCB045
.051	STRCB051
.016x.016	STRCB1616
.016x.022	STRCB1622
.017x.025	STRCB1725
.018x.025	STRCB1825
.019x.025	STRCB1925
.021x.025	STRCB2125

25 pcs / pack



* Elgiloy Ricketts e Bioprogressiva sono marchi registrati della Rocky Mountain Orthodontics
* Elgiloy Ricketts and Bioprogressiva are trademarks of Rocky Mountain Orthodontics

Biotitan archi e fili / Biotitan archwires and wires

Il BioTitan è un prodotto simile al TMA®, dalle identiche caratteristiche. I fili e gli archi in BioTitan hanno caratteristiche di adattabilità e maneggevolezza tipiche dell'acciaio con memoria di forma. Con la sua forza moderata, un ampio range di azione ed una eccellente duttilità, il filo in Beta Titanio può essere usato facilmente durante tutte le fasi del trattamento e specialmente in tutti i pazienti allergici al Nickel.

TMA® assayer admire the equivalent product BioTitan. Arches and wires have the same adaptability characteristics of steel and shape memory. Thanks to its moderate force, a wide range of actions and excellent ductility, Beta Titanium wire can be easily used during all treatment phases, especially to patients who are allergic to Ni-Ti.

Archwires

	TRUEARCH I		EUROARCH II	
	UPPER	LOWER	UPPER	LOWER
.016	TMTFU016	TMTFL016	-	-
.018	TMTFU018	TMTFL018	-	-
.016x.016	TMTFU1616	TMTFL1616	-	-
.016x.022	TMTFU1622	TMTFL1622	TMEFU3622	TMEFL3622
.017x.025	TMTFU1725	TMTFL1725	TMEFU3725	TMEFL3725
.018x.018	TMTFU1818	TMTFL1818	-	-
.018x.025	TMTFU1825	TMTFL1825	-	-
.019x.025	TMTFU1925	TMTFL1925	TMEFU3925	TMEFL3925
.020x.020	TMTFU2020	TMTFL2020	-	-
.021x.025	TMTFU2125	TMTFL2125	-	-

10 pcs / pack

Damon compatible*

DRITTO / STRAIGHT 14"		DRITTO / STRAIGHT 14"	
.016	STTM016	.016x.016	STTM1616
.018	STTM018	.016x.022	STTM1622
.020	STTM020	.017x.025	STTM1725
.028	STTM028	.018x.018	STTM1818
.032	STTM032	.018x.025	STTM1825
.036	STTM036	.019x.025	STTM1925
.040	STTM040	.020x.020	STTM2020
.045	STTM045	.021x.025	STTM2125
.051	STTM051		

10 pcs / pack



* Damon è un marchio registrato della Ormco Corporation / Damon is a trademark by Ormco Corporation
* TMA è un marchio registrato della ditta ORMCO / TMA is a trademark of ORMCO

■ Merce disponibile / Goods available
■ Merce a richiesta / Goods on request



Archi con post dritto / Straight post archwires

Si definiscono superiori gli archi che vanno dalla misura 34 mm alla misura 44 mm. Sono invece considerati archi inferiori dalla misura 22 mm alla misura 32 mm, con incrementi di 2 mm.

Upper archwires are 34 to 44 mm, lower are 22 to 32 mm, with increments of 2 mm.

A



POSTED Archwires

Damon compatible*


	TRUEARCH I	EUROARCH I	EUROARCH II
.016	PSTF016*	PSEF016*	-
.018	PSTF018*	PSEF018*	-
.020	PSTF020*	PSEF020*	-
.016x.016	PSTF1616*	PSEF1616*	-
.016x.022	PSTF1622*	PSEF1622*	-
.016x.025	-	-	PSEF3625*
.017x.025	PSTF1725*	PSEF1725*	PSEF3725*
.018x.025	PSTF1825*	PSEF1825*	-
.019x.025	PSTF1925*	PSEF1925*	PSEF3925*
.020x.020	PSTF2020*	PSEF2020*	-
.021x.025	PSTF2125*	PSEF2125*	PSEF3125*

10 pcs / pack

* Inserire le misure in 2 mm di incremento

* Insert preferred millimeter size, available in 2mm increments

Upper 34 to 44mm - Lower 22 to 33mm



Archi in acciaio looped, posted / Stainless Steel looped, posted archwires


Si definiscono archi superiori quelli dalla misura 34mm alla misura 44mm; sono invece inferiori quelli dalla misura 22mm alla misura 32 mm, con incrementi di 2 mm. Per ordinare correttamente gli archi occorre completare i codici sotto citati inserendo la misura corretta, individuabile mediante la misurazione della distanza dall'angolo incisale distale alla parte incisale del laterale opposto.

Upper archwires are 34 to 44 mm, lower are 22 to 32 mm, with increments of 2mm. To order the correct size of the looped arch, measure along incisal edge from distal of lateral to distal of opposite lateral with a ruler.

T-LOOP Archwires

	TRUEARCH I
	2 LOOP
.016x.022	TLTF1622*
.017x.025	TLTF1725*
.019x.025	TLTF1925*

10 pcs / pack



* Inserire le misure in 2 mm di incremento

* Insert preferred millimeter size, available in 2mm increments

Upper 34 to 44mm - Lower 22 to 33mm

KEYHOLE Archwires

	TRUEARCH I	
	2 LOOP	4 LOOP
.016x.022	KHTF21622*	KHTF41622*
.017x.025	KHTF21725*	KHTF41725*
.019x.025	KHTF21925*	KHTF41925*

10 pcs / pack



2 Loop



4 Loop

* Inserire le misure in 2 mm di incremento

* Insert preferred millimeter size, available in 2mm increments

Upper 34 to 44mm - Lower 22 to 33mm

■ Merce disponibile / Goods available

■ Merce a richiesta / Goods on request

Molle in acciaio / Stainless Steel springs

Le molle in acciaio, disponibili nel pratico confezionamento a spoletta, sono fabbricate in due varianti: aperte e chiuse.

Our stainless steel open and closed coil springs are available on 21" spools.


Molla aperta / Open Spring

.010x.028	SSOC1028
.010x.030	SSOC1030
.010x.036	SSOC1036
21" spool	



Molla chiusa / Closed Spring

.010x.030	SSCC1030
21" spool	



Micro Stop da grippare / Crimpable Micro-Stops

Usato come ancoraggio per limitare i movimenti dentali, può scorrere sul filo e lo si può bloccare dove si desidera con l'apposita pinza.

Used as an anchor to limit tooth movement, it can scroll on the wire and be blocked where required with the specific plier.

Stop chiuso / Closed-stop

Large .020 to .019x.025	CSTOPLG
Small .012 to .018	CSTOPSM
50 pcs / pack	



Stop aperto / Open-stop

.018 to .021x.025	CSTOPOW
10 pcs / pack	



Ganci chirurgici da grippare / Surgical Hooks


I ganci chirurgici da grippare sono dotati di gancio a palla e fabbricati in due varianti: chiusi ed aperti.

Open and Closed ball surgical hooks.


Ganci chirurgici a sfera / Ball surgical hooks Ø 2mm

	.018	.022	.018x.025	.022x.028
1- Open DX	ARHK630CR	ARHK631CR	-	-
1- Open SX	ARHK630CL	ARHK631CL	-	-
2- Closed	ARHK632C	ARHK633C	-	-
3- Open - Universal	-	-	SURHK622C	
4- Closed Straight	-	-	SURHK620C	SURHK621C
10 pcs / pack				


Aperto Curvo / Open Curved




Chiuso Curvo / Closed Curved



Aperto Universale / Open Universal



Chiuso Dritto / Closed Straight




Barre palatali / Palatal Bars

Le barre palatali sono realizzate in acciaio, con diametro .036"; vengono usate per la rotazione e la distalizzazione dei molari.
Palatal Bars are realized with stainless steel, with .036" diameter. They are used for molar rotation and distalization.

Palatal Bars

	Mesial Loop	Distal Loop
35 mm	PAB35	PAB135
37 mm	PAB37	PAB137
39 mm	PAB39	PAB139
41 mm	PAB41	PAB141
43 mm	PAB43	PAB143
45 mm	PAB45	PAB145
47 mm	PAB47	PAB147
49 mm	PAB49	PAB149
51 mm	PAB51	PAB151
53 mm	PAB53	PAB153
55 mm	PAB55	PAB155
Kit	PABK050	PABK150
5 pcs / pack	- KIT 50 pcs / pack	



Occhielli in composito / Composite eyelets

Occhielli in composito, spesso usati in zone affollate per retainer. Apertura fino a .021" x .025".
Composite Eyelets, used for retainer. Opening until .021" x .025".

Composite Eyelets

CMEYE
5 pcs / pack



Bottoni in Ceramica / Ceramic Buttons

Bottoni in ceramica, mantengono l'aspetto trasparente con le mascherine come fissaggio per gli elastici. Funzionano sia lingualmente che labialmente. Base anatomica a griglia per garantire una forte adesione su tutti i tipi di denti.
They maintain the transparent look with aligners as anchorage for elastics. They work lingually & labially. Anatomical mesh base for strong bond that fits all kinds of teeth.

Ceramic Buttons

CLB10
5 pcs / pack



Bottoni Linguali / Lingual Buttons

Bottoni linguali, costruiti con un particolare design arrotondato, per garantire un ottimo comfort al paziente.

Lingual buttons realized with a particular round design to guarantee an excellent comfort for the patient.

Bottoni Linguali / Lingual Buttons

	Bondable
A- Flat - 10 pcs / pack	9300202
B- Contoured - 20 pcs / pack	BLBC20
C- Round - 10 pcs / pack	9300201



Bottoni Linguali con cleats Lingual Cleats Buttons

Lingual Cleat Buttons	9300401
10 pcs / pack	




Gancio a T T hooks

T hooks	THK050
50 pcs / pack	



Bottoni per Estrusione / Extrusion Hooks

A- Extrusion Hooks	EXHK
B- Extrusion Hooks	EXHK-O
10 pcs / pack	



Bottone per estrusione con catena / Extrusion Button with chain

Bottone ideale per l'estrusione di denti inclusi. Rivestito in oro 14k per escludere possibilità di allergie e retrazioni.

Ideal button for the extrusion of internal teeth. It is 14 carats gold covered to exclude possible allergies and retractions.

Extrusion Button

Gold Extrusion hook with chain	EXHK14K
1 pc / pack with chain	



Lingual sheaths


Realizzati per montare barre palatali, Quad Helix o altri apparecchi removibili con diametri .036" x .072".

Designed to assemble palatal bars, Quad Helix and others removable appliances with diameter .036" x .072".


Con gancio / With Hook

Lingual Sheaths Left	WLS055L
Lingual Sheaths Right	WLS055R
10 pcs / pack	

Lingual Sheaths LEFT
WLS055L




Lingual Sheaths RIGHT
WLS055R



Senza gancio / Without Hook

Lingual Sheaths Universal	WLS155
10 pcs / pack	

Lingual Sheaths UNIVERSAL
WLS155



■ Merce disponibile / Goods available
■ Merce a richiesta / Goods on request

Legature metalliche preformate / Pre-cut ligature ties


Pre-cut ligature ties

.010 - Standard	SLT010
500 pcs / pack	



Tooth colour pre-cut ligature ties

.012 - Standard	TCSLT012
100 pcs / pack	



Legature Estetiche

Legature metalliche Kobayashi / Kobayashi ligature ties

Kobayashi ligature ties

Short	
.012	SKH012
.014	SKH014
100 pcs / pack	



Corta / Short

Long	
.012	KH012
.014	KH014
100 pcs / pack	



Lunga / Long

Legature preformate lunghe / Long pre-cut ligature ties

Stainless Steel ligature ties

Long	
.008	LT008
.009	LT009
.010	LT010
.011	LT011
.012	LT012
.014	LT014
1000 pcs / pack	



Filo in matassa / Spooled bulk ligature wire

Spooled bulk ligature ties

	20 g.	450 g.
.008	SBLW08	SBLW108
.009	-	SBLW109
.010	SBLW10	SBLW110
.011	-	SBLW111
.012	SBLW12	SBLW112
Spool		

